Journal of Pharmaceutical and Biomedical Analysis

Volume 11, 1993

Pergamon

Journal of Pharmaceutical and Biomedical Analysis

Editor-in-Chief
Professor Anthony F. Fell Pharmaceutical Chemistry, School of Pharmacy, University of Bradford, Bradford, West Yorkshire, BD7 1DP, UK

Editor (North America)
Professor Christopher M. Riley Center for Bioanalytical Research, University of Kansas, 2095 Constant Avenue, Lawrence, KS 66046-2535, USA

Deputy Editor
Dr Terry M. Jefferies University of Bath, School of Pharmacy and Pharmacology, Claverton Down, Bath BA2 7AY, UK

Assistant Editors
Dr Harry G. Brittain Bristol-Myers Squibb, Pharmaceutical Research Institute, One Squibb Drive, New Brunswick, New Jersey USA
Dr Geoffrey P. R. Carr Chiros Ltd, No. 283 Cambridge Science Park, Milton Road, Cambridge CB4 4WE, UK
Dr Marty A. Kral Marion Merrell Dow Inc., Pharmacy Research Department, Marion Park, P.O. Box 9627, Kansas City, MO 64134-0627, USA
Dr Geoffrey Smith 11a The Garlands, Scarborough, North Yorkshire YO11 2SU, UK

Regional Advisory Editors
Professor Jacques Crommen Institute of Pharmacy, University of Liège, Rue Fusch 5, B-4000 Liège, Belgium
Professor Sándor Görög Chemical Works of Gedeon Richter Ltd, P.O. Box 27, H-1475 Budapest 10, Hungary
Dr James W. Munson The Upjohn Company, Kalamazoo, MI 49001, USA
Professor Toshio Nambara Hatano Research Institute, Food and Drug Safety Center, 729-5 Ochiai, Hadano, Kanagawa 257, Japan
Professor Sergio Pinzauti Department of Pharmaceutical Sciences, University of Florence, Via G. Capponi 9, 50121, Firenze, Italy
Professor Douglas Westerlund University of Uppsala, Biomedical Centre, Department of Analytical Pharmaceutical Chemistry, Box 574, S-751 23 Uppsala, Sweden

Editorial Advisory Board

D. H. Calam (Hertfordshire) *Chairman*
D. W. Armstrong (Rolla, MO)
A. Bartha (Södertälje)
J. C. Berridge (Sandwich)
G. Blaschke (Münster)
D. T. Burns (Belfast)
J. Caldwell (London)
A. F. Casy (Bath)
G. D. Christian (Seattle, WA)
H. Chrystyn (Bradford)
B. J. Clark (Bradford)
V. A. Davankov (Moscow)
F. Erni (Basel)
M. B. Evans (Hatfield)
H. Fabre (Montpellier)
C. Fenselau (Baltimore, MD)
E. Gelpí (Barcelona)
J. Goto (Sendai)
J. Haginaka (Hyogo)
W. S. Hancock (South San Francisco, CA)
E. H. Hansen (Lyngby)
J. Hoogmartens (Leuven)
C. Horváth (New Haven, CT)
J. F. K. Huber (Vienna)
K. Imai (Tokyo)
E. Jellum (Oslo)
K. Jinno (Toyohashi)
J. W. Jorgenson (Chapel Hill, NC)
B. L. Karger (Boston, MA)
L. D. Kissinger (Kalamazoo, MI)
P. T. Kissinger (West Lafayette, IN)
W. Lindner (Graz)
H. Lingeman (Amsterdam)
W. J. Lough (Sunderland)
R. D. McDowall (Kent)
N. Meltzer (Nutley, NJ)
Y. Michotte (Brussels)
J. M. Midgley (Glasgow)
J. N. Miller (Loughborough) *Joint Founding Editor*
D. E. Moore (Sydney, NSW)
E. Mutschler (Frankfurt/Main)
J. K. Nicholson (London)
M. Polášek (Hradec Králové)
J. Simmons (Washington, DC)
M. R. Smyth (Dublin)
J. T. Stewart (Athens, GA)
J. F. Stobaugh (Lawrence, KS)
S. Terabe (Hyogo)
B. Testa (Lausanne)
M. Valcárcel (Córdoba)
A. Vigevani (Milan)
J. C. Wahlich (Ware)
I. W. Wainer (Montreal)
S. G. Weber (Pittsburgh, PA)
I. D. Wilson (Macclesfield)
T. D. Wilson (Evansville, IN)
J. D. Winefordner (Gainesville, FL)

Production Editor
Paul Russell, Elsevier Science Ltd, Headington Hill Hall, Oxford OX3 0BW

Published monthly

Publishing, Subscription and Advertising Offices:
Elsevier Science Ltd, Headington Hill Hall, Oxford OX3 0BW (Tel: 0865 794141; Fax: 0865 60285)

Annual Institutional Subscription Rates 1994: North, Central and South America, U.S. $800.00, rest of world £520.00. Associated Personal Subscription Rates are available on request for those whose institutions are library subscribers. Sterling prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice. Subscription enquiries from customers in North America should be sent to Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, USA, and for the remainder of the world to Elsevier Science Ltd, Headington Hill Hall, Oxford OX3 0BW, UK (Tel: 0865 794141, Fax: 0865 60285).

Second class postage paid at Rahway, NJ. Postmaster send address corrections to *Journal of Pharmaceutical and Biomedical Analysis,* c/o Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, USA.

Copyright © 1994 Elsevier Science Ltd

Whilst every effort is made by the publishers and editorial board to see that no inaccurate or misleading data, opinion or statement appear in this journal, they wish to make it clear that the data and opinions appearing in the articles and advertisements herein are the sole responsibility of the contributor or advertiser concerned. Accordingly, the publishers, the editorial board and editors, and their respective employees, officers and agents accept no responsibility or liability whatsoever for the consequences of any such inaccurate or misleading data, opinion or statement.

Journal of Pharmaceutical and Biomedical Analysis

Volume 11 1993

LIST OF CONTENTS

Number 1

C. M. Riley and A. F. Fell — i — Editorial

Review

J. B. Castledine and A. F. Fell — 1 — Strategies for peak-purity assessment in liquid chromatography

Full Papers

P. Viñas, I. Lopez Garcia and J. A. Martinez Gil — 15 — Determination of thiol-containing drugs by chemiluminescence–flow injection analysis

P. J. D. Foxall, J. A. Parkinson, I. H. Sadler, J. C. Lindon and J. K. Nicholson — 21 — Analysis of biological fluids using 600 MHz proton NMR spectroscopy: application of homonuclear two-dimensional J-resolved spectroscopy to urine and blood plasma for spectral simplification and assignment

A. M. Gerakis, M. A. Koupparis and C. E. Efstathiou — 33 — Micellar acid–base potentiometric titrations of weak acidic and/or insoluble drugs

P. Bourget, H. Fernandez, V. Quinquis and C. Delouis — 43 — Pharmacokinetics of cyclosporin A during pregnancy; monitoring of treatment and specific assays of cyclosporin, based on five liver transplant patients

C. M. Riley, D. L. Ross, D. Vander Velde and F. Takusagawa — 49 — Characterization of the complexation of fluoroquinolone antimicrobials with metal ions by nuclear magnetic resonance spectroscopy

S. C. Bernstein, S. K. Abrams, K. J. Leckrone and L. A. Paul — 61 — Chloroisothiocyanatoquinolines as fluorogenic derivatizing agents for primary and secondary amines

R. Boussenadji, M. Porthault and A. Berthod — 71 — Microbore liquid chromatography with electrochemical detection for the control of phenolic antioxidants in drugs and foods

L. Mälkki and S. Tammilehto — 79 — Optimization of the separation of salbutamol and its decomposition products by liquid chromatography with diode-array detection

Short Communication

B. I. Knight and A. G. Davidson — 85 — Sensitive determination of 1,1′-ethylidenebis(L-tryptophan) in L-tryptophan by gradient HPLC with fluorimetric detection

Number 2

Full Papers

J. Matsuura and M. C. Manning — 89 — Conformation of human calcitonin gene-related peptide (8–37) in aqueous solution as determined by circular dichroism spectroscopy

Shulin Ding — 95 — Quantitation of hydroperoxides in the aqueous solutions of non-ionic surfactants using polysorbate 80 as the model surfactant

T. Kupka, J. O. Dzięgielewski and G. Pasterna — 103 — NMR studies on penicillins: hydrogen bonding, self-association and micellar solutions of cloxacillin Na-salt in D_2O

F. Lai, A. Mayer and T. Sheehan — 117 — Chiral separation and detection enhancement of propranolol using automated pre-column derivatization

N. D. Danielson, J. A. Holeman, D. C. Bristol and D. H. Kirzner 121 Simple methods for the qualitative identification and quantitative determination of macrolide antibiotics

C. M. Riley, B. V. Shetty, N. C. Chetwyn, V. T. Kasper, C. G. Kindberg and C. M. Dicken 131 A stability-indicating assay and the preformulation characteristics of the radiosensitizer, 1,2,4-benzotriazin-3-amine 1,4-dioxide

E. M. Chellquist and C. M. Dicken 139 The effect of mobile phase modifiers on the simultaneous LC elution of a gadolinium complex and free ligand

C. Hendrix, M. Pijcke, Li Ming Yun, E. Roets and J. Hoogmartens 145 Quantitative analysis of cefradine by liquid chromatography on poly(styrene-divinylbenzene)

T. V. Olah, J. D. Gilbert and A. Barrish 157 Determination of the β-adrenergic blocker timolol in plasma by liquid chromatography–atmospheric pressure chemical ionization mass spectrometry

Short Communications

K. Girish Kumar and R. Jayashree 165 Determination of cimetidine in pure form and in dosage forms using *N*-bromosuccinimide

B. C. Sweatman, R. D. Farrant and J. C. Lindon 169 NMR of biofluids: detection of ^{2}H-acetate and ^{2}H-formate in urine as an indicator of microbiological contamination

M. Larroque and L. Vian 173 Determination of phenylmercuric nitrate in pharmaceuticals by HPLC

C. Bell and D. P. Ip 177 Utility of column switching to analyse low dose dissolution samples for pharmaceutical formulations

Number 3

Special Issue: Drug Analysis 1992—Part II. Invited Plenary, Keynote and Submitted Papers from the Fourth International Symposium on Drug Analysis, May 1992, Liège, Belgium

iii Editorial

Full Papers

D. Mole, R. J. Mason and R. D. McDowall 183 The development of a strategy for the implementation of automation in a bioanalytical laboratory

J. Inczeffy, Z. B. Somodi, Z. Pap-Sziklay and G. Farsang 191 The study of the differential pulse voltammetric behaviour of ergot alkaloids and their determination by DC amperometric detection in a FIA system

M. G. Donato, E. Van Den Eeckhout, W. Van Den Bossche and P. Sandra 197 Capillary zone electrophoresis and micellar electrokinetic capillary chromatography of some non-steroidal antiinflammatory drugs (NSAIDs)

A. M. Oliveira Brett, M. M. M. Grazina, T. R. A. Macedo, C. Oliveira and D. Raimundo 203 A study of the electrochemical oxidation of Navelbine

K. Nikolic, L. Arsenijevec and M. Bogavac 207 Coulometric determination of some antiasthmatics

B. Buszewski, S. Kawka, Z. Suprynowicz and T. Wolski 211 Simultaneous isolation of Rutin and Esculin from plant material and drugs using solid-phase extraction

J. Fischer, M. T. Kelly, M. R. Smyth and P. Jandera 217 Determination of ivermectin in bovine plasma by column-switching LC using on-line solid-phase extraction and trace enrichment

J. J. Butter, J. C. Kraak and H. Poppe 225 Determination of enantiomers of bupivacaine in serum using an on-line coupled three column liquid chromatographic system

M. J. Thompson, A. F. Fell, B. J. Clark and M. L. Robinson 233 LC studies on the potential interaction of paraben preservatives with sorbitol and glycerol

M. L. Bieganowska, A. Petruczynik and A. Doraczynska-Szopa 241 Thin-layer reversed-phase ion-pair chromatography of some sulphonamides

Short Communications

S. Vladimirov, D. Agbaba, N. Radović and D. Živanov-Stakić 247 Spectrophotometric determination of molsidomine in pharmaceutical formulations using bromocresol green

M. Jedrychowski, N. Feifel, P. R. Bieck and E. K. Schmidt 251 Metabolism of the new MAO-A inhibitor brofaromine in poor and extensive metabolizers of debrisoquine

J. H. McB. Miller, J. L. Robert and A. M. Sørensen 257 Reversed-phase ion-pair liquid chromatographic method for determining the impurities of furosemide

I. Sztruhár, L. Ladányi, L-Zalavári-Dósa and I. Beck 263 Liquid chromatographic resolution of the enantiomers of psychotropic drug levomepromazine (methotrimeprazine) with β-cyclodextrin-bonded chiral stationary phase

Number 4/5

Full Papers

P. J. D. Foxall, M. Spraul, R. D. Farrant, L. C. Lindon, G. H. Neild and J. K. Nicholson 267 750 MHz ^{1}H-NMR spectroscopy of human blood plasma

M. Casas, L. A. Berrueta, B. Gallo and F. Vicente 277 Solid-phase extraction of 1,4-benzodiazepines from biological fluids

L. C. Bailey and N. A. Levine 285 Optimization of the USP assay for hyaluronidase

D. A. Roston, M. C. Walters, R. R. Rhinebarger and L. J. Ferro 293 Characterization of polymorphs of a new anti-inflammatory drug

M. Eisman, M. Gallego and M. Valcárcel 301 Automatic determination of amylocaine and bromhexine by atomic absorption spectrometry

P. Martin, B. Leadbetter and I. D. Wilson 307 Immobilized phenylboronic acids for the selective extraction of β-blocking drugs from aqueous solution and plasma

D. J. Mazzo, R. Engerer and J. Egoville 313 An automated aerosol actuator: application to the uniformity testing of pharmaceutical aerosol dosage forms

S. A. Best, J. M. Midgley, W. Huang and D. G. Watson 323 The determination of 5-hydroxytryptamine, related indolealkylamines and 5-hydroxyindoleacetic acid in the bovine eye by gas chromatography–negative ion chemical ionization mass spectrometry

P. Kintz, F. Flesch, A. Jaeger and P. Mangin 335 GC–MS procedure for the analysis of zipeprol

F. T. Delbeke and M. Debackere 339 Influence of hydrolysis procedures on the urinary concentrations of codeine and morphine in relation to doping analysis

A. Van Schepdael, N. Ossembe, P. Herdewijn, E. Roets and J. Hoogmartens 345 Liquid chromatographic study of the stability of 5-halogeno-2′-deoxyuridines

A. Chalgeri and H S. I. Tan 353 Assay of citrate in pharmaceutical matrices by indirect photometric liquid chromatography

K. Valkó, M. P. Hamedani, T. L. Ascah and W. A. Gibbons 361 A comparative study of the reversed-phase HPLC retention behaviour of *S*-adenosyl-L-methionine and its related metabolites on Hypersil ODS and Supelcosil™ LC-ABZ stationary phases

C. L. Stevenson, R. J. Anderegg and R. T. Borchardt 367 Comparison of separation and detection techniques for human growth hormone releasing factor (hGRF) and the products derived from deamidation

M. Jamil Akhtar, S. Khan and M. A. Salam Khan 375 Determination of ampicillin in human plasma by high-performance liquid chromatography using ultraviolet detection

T. Funaki, H. Onodera, K. Ogawa, S. Ichihara, H. Fukazawa and I. Kuruma 379 Simultaneous determination of a new anticancer drug galocitabine and its metabolites in blood by high-performance liquid chromatography

J. K. Lalla, M. U. Shah, M. B. Jain and A. H. Sharma 385 Modified high-performance liquid chromatographic method for analysis of drotaverine in human plasma

D. G. Watson, Z. Iqbal, J. M. Midgley, H. Pryce-Jones, L. Morrison, G. N. Dutton, S. Karditsas and W. Wilson 389 Measurement of ascorbic acid in human aqueous humour and plasma and bovine aqueous humour by high-performance liquid chromatography with electrochemical detection

P. Marrari, G. Basileo, E. Pianezzola and M. S. Benedetti 393 Determination of FCE 23884, a new ergolene derivative, and its possible metabolite, the 6-nor-derivative in plasma by high-performance liquid chromatography with fluorescence detection

M. Pawula, D. A. Barrett and P. N. Shaw 401 An improved extraction method for the HPLC determination of morphine and its metabolites in plasma

Short Communications

B. V. Kamath, K. Shivram and A. C. Shah 407 Selective spectrophotometric determination of diltiazem hydrochloride in tablets

C. Nerin, J. Cacho and A. Garnica 411 Indirect determination of diphenhydramine hydrochloride by atomic absorption spectrometry

K. D. Altria and D. C. M. Luscombe 415 Application of capillary electrophoresis as a quantitative identity test for pharmaceuticals employing automated on-column standard addition

N. T. On, L. A. Damani and D. J. Rance 421 A sensitive high-performance liquid chromatographic determination of 6-(pyridin-3-yl)-quinolin-2(1H)-one and its *N*-oxide metabolite in rat plasma and urine

i Corrigendum

Number 6

Full Papers

A. S. Yuan, E. L. Hand, M. Hichens, T. V. Olah, A. Barrish, C. Fernandez-Metzler and J. D. Gilbert 427 Determination of MK-852, a new fibrinogen receptor antagonist, in plasma and urine by radioimmunoassay

W. Plugge and C. van der Vlies 435 Near-infrared spectroscopy as an alternative to assess compliance of ampicillin trihydrate with compendial specifications

E. Dempsey, C. O'Sullivan, M. R. Smyth, D. Egan, R. O'Kennedy and J. Wang 443 Differential pulse voltammetric determination of 7-hydroxycoumarin in human urine

B. Abramović, K. Horváth and F. Gaál 447 Automatic titrimetric determination of iodide in some pharmaceutical contrasting preparations

C. B. Eap, L. Koeb and P. Baumann 451 Artifacts in the analysis of thioridazine and other neuroleptics

K. Kronkvist, U. Lövgren, L.-E. Edholm and G. Johansson 459 Determination of drugs in biosamples at picomolar concentrations using competitive ELISA with electrochemical detection: application to steroids

S. Miyairi, H. Shimada, H. Morita, N. Awata, J. Goto and T. Nambara 469 Enzyme immunoassay for 4-hydroxy-2-(4-methylphenyl)benzothiazole

A. Parra, J. Garcia-Villanova, V. Ródenas and M. D. Gómez 477 First- and second-derivative spectrophotometric determination of imipenem and cilastatin in injections

S. D. Ferrara, L. Tedeschi, G. Frison, F. Castagna, L. Gallimberti, R. Giorgetti, G. L. Gessa and P. Palatini 483 Therapeutic gamma-hydroxybutyric acid monitoring in plasma and urine by gas chromatography–mass spectrometry

O. Bekers, J. H. Beijnen, M. J. T. klein Tank, D. M. Burger, P. L. Meenhorst, A. J. P. F. Lombarts and W. J. M. Underberg 489 2′,3′-Dideoxyinosine (ddI): its chemical stability and cyclodextrin complexation in aqueous media

A. J. Bourque and I. S. Krull 495 Immobilized isocyanates for derivatization of amines for chiral recognition in liquid chromatography with UV detection

R. Kaliszan, A. Kaliszan and I. W. Wainer 505 Deactivated hydrocarbonaceous silica and immobilized artificial membrane stationary phases in high-performance liquid chromatographic determination of hydrophobicities of organic bases: relationship to log *P* and CLOGP

Short Communications

E. W. Tsai, D. P. Ip and M. A. Brooks 513 Determination of etidronate disodium tablets by ion chromatography with indirect UV detection

B. J. Fish 517 Use of a porous graphitic carbon column to separate *cis* and *trans* isomers in a novel anti-asthma compound

Number 7

Analytical Survey

J. L. Burrows 523 Evaluation of calibration routines in pharmaceutical and bioanalytical separations, with reference to Monte Carlo simulations

Full Papers

K. A. Sagar, M. R. Smyth and R. Munden 533 Voltammetric study of salbutamol and application to its determination in a tablet dosage form and dissolution profiles for the dosage form

W. Guo, B. Noszál, I. Schön and O. Nyéki 541 ^{1}H-NMR studies on thymopoietin-type oligopeptides—assignment of the proton resonances and investigation of conformational preferences

P. C. Davis, R. A. Wildonger and H. S. Veale 549 A specific radioimmunoassay for the measurement of ICI 200,880, an elastase inhibitor, in human serum

B. M. Bain, G. Harrison, K. D. Jenkins, A. J. Pateman and E. V. B. Shenoy 557 A sensitive radioimmunoassay, incorporating solid-phase extraction, for fluticasone 17-propionate in plasma

M. Szögyi and T. Cserháti 563 Interaction of monoamine oxidase inhibitory drugs with some phospholipids

F. T. Delbeke, P. Teale, M. Debackere and E. Houghton 569 ELISA screening with GC–MS confirmation of the tranquilizer chlorprothixene administered in sub-therapeutic doses to horses

D. Deleu, S. Sarre, G. Ebinger and Y. Michotte 577 Simultaneous monitoring of levodopa, dopamine and their metabolites in skeletal muscle and subcutaneous tissue in different pharmacological conditions using microdialysis

E. Ciranni Signoretti, L. Valvo, A. L. Savella and G. Cavina 587 Purity evaluation of 6*α*-methylprednisolone acetate by HPLC

C. Hendrix, Zhu Yongxin, M. Pijcke, E. Roets and J. Hoogmartens 595 A comparative study of LC methods for analysis of cefradine

Short Communications

J. J. Berzas Nevado, J. M. Lemus Gallego and G. Castañeda Peñalvo 601 Spectral ratio derivative spectrophotometric determination of sulphaquinoxaline and pyrimethamine in veterinary formulations

J. E. Parkin 609 The assay of benzalkonium chloride in pilocarpine, hypromellose and polyvinyl alcohol ophthalmic drops by second-order derivative ultraviolet spectrophotometry

M. L. Sethi 613 Enzyme inhibition X: colorimetric method for determining gabase activity and its comparison with a spectrophotometric method

M. Wermeille, E. Moret, J.-P. Siest, S. Ghribi, A.-M. Petit and M. Wellman 619 The determination of dimethindene in human serum by enzyme-linked immunosorbent assay (EIA)

F. Kamali 625 Determination of plasma diazepam and desmethyldiazepam by solid-phase extraction and reversed-phase high-performance liquid chromatography

i Corrigenda

Number 8

Full Papers

P. E. McGowan, J. Reglinski, R. Wilson, J. J. Walker, S. Wisdom and J. H. McKillop — 629 — Quantitative ^{1}H-NMR analysis of amniotic fluid

M. S. Garcia, C. Sanchez-Pedreño, M. I. Albero and V. Rodenas — 633 — Determination of penicillamine or tiopronin in pharmaceutical preparations by flow injection analysis

A.-A. M. Wahbi, M. M. Bedair, S. M. Galal and A. A. Gazy — 639 — Spectrophotometric analysis of some guanidino drugs by acid-dye and charge-transfer complexation methods

G. Pous Miralles, R. García-Domenech, J. Mañes Vinuesa and J. Marí Buigues — 647 — Spectrophotometric determination of dihydralazine in pharmaceuticals after derivatization with 2-hydroxy-1-naphthaldehyde

B. C. Sweatman, R. D. Farrant, E. Holmes, F. Y. Ghauri, J. K. Nicholson and J. C. Lindon — 651 — 600 MHz ^{1}H-NMR spectroscopy of human cerebrospinal fluid: effects of sample manipulation and assignment of resonances

G. M. Hanna and C. A. Lau-Cam — 665 — Determination of the optical purity and absolute configuration of *threo*-methylphenidate by proton nuclear magnetic resonance spectroscopy with chiral solvating agent

P. Martin, J. Taberner, A. Fairbrother and I. D. Wilson — 671 — An investigation of the effects of carbon loading and endcapping on the solid-phase extraction of β-blockers onto C_{18} bonded silica gel

F. Botrè, C. Botrè, G. Lorenti, F. Mazzei, F. Porcelli and G. Scibona — 679 — Determination of L-glutamate and L-glutamine in pharmaceutical formulations by amperometric L-glutamate oxidase based enzyme sensors

R. D. Farrant, S. R. Salman, J. C. Lindon, B. C. Cupid and J. K. Nicholson — 687 — Deuterium NMR spectroscopy of biofluids for the identification of drug metabolites: application to *N,N*-dimethylformamide

A. Marsh and M. B. Evans — 693 — Challenging declarations of abstinence by the determination of morphine in hair by radioimmunoassay

D. Rakestraw — 699 — Determination of amantadine in human plasma by capillary gas chromatography using electron-capture detection following derivatization with pentafluorobenzoyl chloride

C. T. Banks — 705 — The development and application of coupled HPLC–TLC for pharmaceutical analysis

E. Bonet-Domingo, M. J. Medina-Hernandez and M. C. Garcia-Alvarez-Coque — 711 — A micellar liquid chromatographic procedure for the determination of amiloride, bendroflumethiazide, chlorthalidone, spironolactone and triamterene in pharmaceuticals

Chen Cuiping, Liu Xingrong and Wu Rujin — 717 — High-performance liquid chromatographic method for the determination of norfloxacin glutamate and glucuronate in solid and liquid dosage forms and its application to stability testing

J. A. Hadfield, A. T. McGown, M. J. Dawson, N. Thatcher and B. W. Fox — 723 — The suitability of carboplatin solutions for 14-day continuous infusion by ambulatory pump: an HPLC–dynamic FAB study

B. Law and L. E. Stafford — 729 — The use of ultraviolet spectra and chromatographic retention data as an aid to metabolite identification

I. Facchetti, A. Valla and A. Vigevani — 737 — RP-HPLC peptide mapping methods for the analysis of recombinant human pro-urokinase

A. Bozkurt, N. E. Basci, A. Isimer and S. O. Kayaalp — 745 — Determination of debrisoquine and 4-hydroxydebrisoquine in urine by high-performance liquid chromatography with fluorescence detection after solid-phase extraction

A. Roda, R. Gatti, V. Cavrini, C. Cerrè and P. Simoni — 751 — HPLC study of the impurities present in different ursodeoxycholic acid preparations: comparative evaluation of four detectors

V. Cavrini, R. Gatti, A. Roda, C. Cerrè and P. Roveri — 761 — HPLC-fluorescence determination of bile acids in pharmaceuticals and bile after derivatization with 2-bromoacetyl-6-methoxynaphthalene

H. Le Solleu, F. Demotes-Mainard, G. Vinçon and B. Bannwarth 771 The determination of bromazepam in plasma by reversed-phase high-performance liquid chromatography

Short Communications

M. I. Walash, F. Belal, M.E. Metwally and M. M. Hefnawy 777 Fluorimetric determination of tauromustine (a novel antitumour agent) in formulations and biological fluids

G. Indrayanto and R. Handayani 781 Quantitative determination of ambroxol hydrochloride in tablets

Number 9

Special Issue: Papers from the Analysis and Pharmaceutical Quality Section presented at the Seventh Annual Meeting of the American Association of Pharmaceutical Scientists, San Antonio, Texas, 15–19 November 1992

iii Editorial

Full Papers

W. Naidong and J. W. Lee 785 Development and validation of a high-performance liquid chromatographic method for the quantitation of warfarin enantiomers in human plasma

J. R. Kagel, V. J. Stella and C. M. Riley 793 A liquid chromatographic method for the determination of the enantiomeric purity of the anticancer drug, 9-amino-20(*S*)-camptothecin

J. B. Aluri and S. Stavchansky 803 Determination of guaifenesin in human plasma by liquid chromatography in the presence of pseudoephedrine

C. J. L. Buggé, M. D. Tucker, D. B. Garcia, L. T. Kvalo and J. A. Wilhelm 809 Determination of mirfentanil hydrochloride (A-3508·HCl) in human plasma by liquid chromatography–mass spectrometry

X. Tan, N. Meltzer and S. Lindenbaum 817 Determination of the kinetics of degradation of 13-*cis*-retinoic acid and all-*trans*-retinoic acid in solution

H. T. Karnes, A. T. Wei and G. P. Dimenna 823 HPLC analysis of salinomycin in human plasma using pre-column oxidation and automated heart cut column switching

D. K. Bempong, I. L. Honigberg and N. M. Meltzer 829 Separation of 13-*cis* and all-*trans* retinoic acid and their photodegradation products using capillary zone electrophoresis and micellar electrokinetic chromatography (MEC)

F. J. Nowaczyk, Jr, R. L. Schnaare, R. J. Wigent and C. M. Ofner III 835 Charge-transfer complexes of iodine and nonionic surfactants: interpretation and use in the Winkler method

T. Roy 843 Estimating shelf-life using L_1 regression methods

A. K. Dash 847 A liquid chromatographic method for the determination of tolnaftate in pharmaceutical formulations

Short Communication

G. M. Hanna and C. A. Lau-Cam 855 Determination of chlorpheniramine maleate in tablets and injections by ^{1}H-NMR spectroscopy

Number 10

Full Papers

O. T. Aloba, D. E. Bergman, R. T. Miller and R. E. Daly 861 Enhanced robotic dissolution system with concurrent off-line analysis

C.-J. Wang, Z. Tian, C. Gommoll, V. Reyes and C.-C. Lin 871 A sensitive enzyme immunoassay (EIA) for quantitation of the topical anti-inflammatory agent SCH 40120 in unextracted human plasma

D. W. Armstrong, J. Zukowski, N. Ercal and M. Gasper 881 Stereochemistry of pipecolic acid found in the urine and plasma of subjects with peroxisomal deficiencies

M. I. Albero, C. Sánchez-Petreño, M. S. Garciá and V. Ródenas 887 Determination of captopril in pharmaceutical samples by flow injection analysis

L. de la Peña, A. Gómez-Hens and D. Pérez-Bendito 893 Kinetic fluorimetric determination of promethazine by a stopped-flow mixing technique

M. L. Anthony, C. R. Beddell, J. C. Lindon and J. K. Nicholson 897 Raised transaminase activity of blood plasma from rats with experimentally-induced kidney damage detected by spin-echo ^{1}H-NMR spectroscopy

S. Numajiri, K. Sugibayashi and Y. Morimoto 903 Non-invasive sampling of lactic acid ions by iontophoresis using chloride ion in the body as an internal standard

M. H. Moon and J. C. Giddings 911 Size distribution of liposomes by flow field-flow fractionation

A. Orellana, E. Martínez-Fàbregas and S. Alegret 921 On-line monitoring of urea in effluent liquid during haemodialysis

P. Izquierdo, A. Gómez-Hens and D. Pérez-Bendito 927 Stopped-flow photometric determination of clavulanic acid in pharmaceutical and serum samples

C. Sánchez-Pedreño, M. S. Garcia, M. I. Albero and J. Rodriguez 933 Flow-injection spectrophotometric determination of piroxicam

M. A. Malone, A. Costa Garcia, P. Tunon Blanco and M. R. Smyth 939 Phase-selective AC adsorptive stripping voltammetric assay for aminopterin and 10-Edam in human serum

P. DeMontigny and K. J. Dave 947 Analytical method development and preformulation stability studies of L-665,871 (a β-agonist) in swine feed

T. A. Gillespie, J. A. Eckstein, P. Nardella and J. E. Coutant 955 Determination of dolasetron and its reduced metabolite in human plasma by GC–MS and LC

H. Kataoka, Y. Imamura, H. Tanaka and M. Makita 963 Determination of cysteamine and cystamine by gas chromatography with flame photometric detection

P. D. Bryan and J. T. Stewart 971 Separation of tetracyclines by liquid chromatography with acidic mobile phases and polymeric columns

J. den Hartigh, R. Langebroek and P. Vermeij 977 Ion-exchange liquid chromatographic analysis of bisphosphonates in pharmaceutical preparations

E. M. Chellquist and R. Searle 985 An LC method for measuring complex formation equilibria by competitive chelation

N. Ichikawa, K. Naora, M. Hayashibara and K. Iwamoto 993 High-performance liquid chromatographic determination of nalidixic acid in rat serum, brain and cerebrospinal fluid

L. Chen, J. Mazzeo, I. S. Krull and S.-L. Wu 999 Determination of peptide 520 in human plasma using post-column photolysis with electrochemical detection in liquid chromatography

M. Spraul, M. Hofmann, I. D. Wilson, E. Lenz, J. K. Nicholson and J. C. Lindon 1009 Coupling of HPLC with ^{19}F- and ^{1}H-NMR spectroscopy to investigate the human urinary excretion of flurbiprofen metabolites

I. Klebovich, P. Arvela and O. Pelkonen 1017 HPLC method for rapid determination of acetylator phenotype by measuring urinary caffeine metabolites

J. Haginaka, Y. Nishimura and H. Yasuda 1023 Determination of cyclodextrins in serum by reversed-phase chromatography with pulsed amperometric detection and a membrane reactor

Short Communications

S. O. K. Auriola, K. Mari Rönkkö and A. Urtti 1027 Determination of polyethylene glycols by high-performance liquid chromatography–thermospray mass spectrometry

M. V. Padval and H. N. Bhargava 1033 Liquid chromatographic determination of indapamide in the presence of its degradation products

N. D. Aggarwal, D. Goldman, A. W. Malick and K. Sethachutkul 1037 Degradation profile and reversed-phase LC method development of the antiinflammatory drug, Ro 24-5913

O. Sahartova, V. Shatz and I. Kalvinš 1045 HPLC analysis of mildronate and its analogues in plasma

Number 11/12

Special Issue: Papers from the Fourth International Symposium on Pharmaceutical and Biomedical Analysis, 18–21 April 1993, Baltimore, Maryland, USA

xi Editorial

Full Papers

J. Henion, T. Wachs and A. Mordehai 1049 Recent developments in electrospray mass spectrometry including implementation on an ion trap

H. G. Brittain, K. R. Morris, D. E. Bugay, A. B. Thakur and A. T. M. Serajuddin 1063 Solid-state NMR and IR for the analysis of pharmaceutical solids: polymorphs of fosinopril sodium

I. R. Last and K. A. Prebble 1071 Suitability of near-infrared methods for the determination of moisture in a freeze-dried injection product containing different amounts of the active ingredient

B. F. MacDonald and K. A. Prebble 1077 Some applications of near-infrared reflectance analysis in the pharmaceutical industry

M. A. Dempster, J. A. Jones, I. R. Last, B. F. MacDonald and K. A. Prebble 1087 Near-infrared methods for the identification of tablets in clinical trial supplies

J. L. Lopez Paz and J. Martinez Calatayud 1093 Copper carbonate as a solid-bed reactor for spectrophotometric determination of doxycycline and oxytetracycline in an unsegmented continuous flow assembly

L. Campanella, T. Beone, M. P. Sammartino and M. Tomassetti 1099 Analysis of L-dopa in pharmaceutical preparations and of total phenols content in urine by means of an enzyme–amperometric sensor

G. Carlucci, A. Cilli, M. Liberato and P. Mazzeo 1105 Determination of lomefloxacin in human plasma by solid-phase extraction and high-performance liquid chromatography with UV detection

M. Franklin 1109 Determination of nefazodone and its metabolites in plasma by high-performance liquid chromatography with coulometric detection

Z. Iqbal, D. G. Watson, J. M. Midgley, P. R. Dennison and C. N. J. McGhee 1115 The metabolism of fluorometholone by bovine cornea

M. C. Linhares and P. T. Kissinger 1121 Determination of endogenous ions in intercellular fluid using capillary ultrafiltration and microdialysis probes

J.-J. Lai and G. C. Jamieson 1129 Determination of dysprosium in monkey serum by inductively-coupled plasma atomic emission spectrometry (ICP-AES) after the administration of Sprodiamide Injection, a new contrast medium for magnetic resonance imaging

I. Ramis, G. Hotter, J. Roselló-Catafau, O. Bulbena, C. Picado and E. Gelpi	1135	Application of totally automated on-line sample clean up system for extraction and high-performance liquid chromatography separation of peptide leukotrienes
J. W. Kelly, L. He and J. T. Stewart	1141	Liquid chromatographic separation of praziquantel enantiomers in serum using a cellulose-based chiral stationary phase
D. G. Watson, P. Zhou, J. M. Midgley, C. D. Milligan and K. Kaiser	1145	The determination of biogenic amines in four strains of the fruit fly *Drosophila melanogaster*
N. Maulik, D. Bagchi, R. Jones, G. Cordis and D. K. Das	1151	Identification and characterization of plasmalogen fatty acids in swine heart
M. G. Quaglia, A. Farina, E. Bossù and F. Romolo	1157	Analysis of ticlopidine and related impurities by capillary electrophoresis
C. Boursier-Neyret, A. Baune, P. Klippert, I. Castagne and C. Sauveur	1161	Determination of S 12024 enantiomers in human plasma by liquid chromatography after chiral pre-column derivatization
W. H. De Camp	1167	Chiral drugs: the FDA perspective on manufacturing and control
H. Fieger and I. W. Wainer	1173	Direct analysis of the enantiomers of mexiletine and its metabolites in plasma and urine using an HPLC–CSP
S. K. Yang and X.-L. Lu	1181	Stereoselective homonucleophilic substitution of 3-*O*-methyl and 3-*O*-ethyloxazepam enantiomers by chiral stationary phase high-performance liquid chromatography
X.-L. Lu and S. K. Yang	1189	Enantioselective metabolism of camazepam by rat liver microsomes
K. G. Lynam and E. C. Nicolas	1197	Chiral HPLC versus chiral SFC: evaluation of long-term stability and selectivity of Chiralcel OD using various eluents
L. Campanella, M. Battilotti, A. Borraccino, C. Colapicchioni, M. P. Sammartino and M. Tomassetti	1207	Cholanic acids determined in commercial drugs by means of a new ISFET device
A. Farina, M. G. Quaglia, A. Doldo, S. Calandra and F. R. Gallo	1215	Analysis of FCE 23762 (methoxymorpholinodoxorubicin hydrochloride), a new antitumour agent, by HPTLC and scanning densitometry
S. Görög, G. Balogh, A. Csehi, É. Csizér, M. Gazdag, Zs. Halmos, B. Hegedüs, B. Herényi, P. Horváth and A. Laukó	1219	Estimation of impurity profiles in drugs and related materials. Part 11—the role of chromatographic and spectroscopic methods in the estimation of side-reactions in drug syntheses
J. A. Jones, I. R. Last, B. F. MacDonald and K. A. Prebble	1227	Development and transferability of near-infrared methods for determination of moisture in a freeze-dried injection product
A. P. Micheel, C. Y. Ko and C. R. Evans	1233	Assay of residual organic solvents in topiramate drug substance by capillary gas chromatography
J. O. De Beer and J. Hoogmartens	1239	Experimental design on liquid chromatographic parameters in the analysis of tetracycline on poly(styrene–divinylbenzene)
K. Hettiarachchi and A. P. Cheung	1251	Quantitative capillary electrophoresis and its application to the polyanionic quinobene
A. P. Cheung, T. Nguyenle and K. Hettiarachchi	1261	Liquid chromatography and capillary electrophoresis analysis of polyanionic quinobene
G. J. Krol, G. W. Beck, W. Ritter and J. T. Lettieri	1269	LC separation and induced fluorometric detection of rivastatin in blood plasma
H. Nishi and S. Terabe	1277	Application of electrokinetic chromatography to pharmaceutical analysis
R. B. Taylor and R. G. Reid	1289	Analysis of basic antimalarial drugs by CZE and MEKC. Part 1—critical factors affecting separation
P. B. Bowman, J. T. Hann, J. G. D. Marr, D. J. Salvat and B. E. Thompson	1295	Liquid chromatography solvent optimization: potential pitfalls when using a black box for developing a quality separation

P. B. Bowman, J. G. D. Marr, D. J. Salvat and B. E. Thompson 1303 Automated HPLC optimization—not all systems are the same

R. F. Burgoyne, M. C. Priest, K. L. Roche and G. Vella 1317 Systematic development and validation of sanitization protocols for a chromatographic system designed for biotherapeutics purification

R. D. McDowall 1327 An update on laboratory information management systems

Short Communications

M. C. Vescina, A. Mamianetti, N. M. Vizioli, S. E. Lucangioli, V. Rodriguez, A. Orden, D. Garrido and C. N. Carducci 1331 Evaluation of faecal bile acid profiles by HPLC after using disposable solid-phase columns

K. Y. Chan, D. K. Satonin, L. K. Cheng and R. A. Okerholm 1337 Determination of MDL 73,005 in human plasma by solid-phase extraction and high-performance liquid chromatography

H. Zhang and J. T. Stewart 1341 Liquid chromatographic determination of canrenone in human serum using solid-phase extraction

R. van Gijn, S. Kuijs, H. Rosing, A. C. Dubbelman, O. van Tellingen, W. W. Ten Bokkel Huinink, H. M. Pinedo and J. H. Beijnen 1345 Determination of intoplicine, a new antitumour drug, in human faeces by normal-phase high-performance liquid chromatography with fluorescence detection

J. Leslie, J. M. Kujawa, N. Eddington, M. Egorin and J. Eiseman 1349 Stability problems with taxol in mouse plasma during analysis by liquid chromatography

R. van Gijn, M. J. A. De Graaff-Teulen, O. van Tellingen and J. H. Beijnen 1353 Chemical stability of the new antitumour agent intoplicine in infusion fluids

R. Segarra Guerrero, C. Gomez Benito and J. Martinez Calatayud 1357 On-line photoreaction and fluorimetric determination of diazepam

J. A. Wood and J. T. Goras 1361 Validating an automated dissolution method for a tablet containing both sustained and immediate release active components